

# Index

- affine invariance, 162
  - centroid, 163
  - circumcenter, 165
  - incenter, 164
- affine invariant, 108
- affine map, 124, 162, 179, 305
  - 2D, 124
  - 3D, 239
- affine maps, 216
- angle
  - cosine of, 38
  - re-entrant, 288
  - sine of, 188
- angle bisector, 163, 208
- area, 89, 161, 164, 231
  - parallelogram, 106, 187
  - signed, 162
- Bézier curve, 302
- back substitution, 111, 266
- barycenter, 288
- barycentric combination, 30, 125, 161, 240, 242, 305
- barycentric coordinates, 30, 31, 48, 160, 196, 208, 243
- basis vectors, 35
- bisector
  - angle, 163, 208
  - edge, 164
  - two points, 196
  - vector, 208
- box
  - skew, 221
- Cauchy-Schwartz inequality, 41
- center of gravity, 35, 163
- centroid, 163, 257
  - of a tetrahedron, 241
- characteristic equation, 142
- circle, 174, 289
- circumcenter, 164
- circumcircle, 164
- CLAPACK, 260
- CMM, 19
- composite curves, 311
- Computer Aided Geometric Design, 21, 302
- computer graphics, 205, 216, 224
  - icons, 15
  - lighting model, 196
  - window, 14
- condition number, 153
- cone, 174
- conic, 173
  - affine map, 179
  - degenerate, 178
  - general equation, 178
  - general position, 174
  - implicit equation, 174
  - matrix notation, 175
  - position, 179
  - type, 177
- conic section, 173
- convert
  - Bézier curve to monomial curve, 308

- degrees to radians, 41
- implicit to parametric line, 54
- monomial curve to Bézier curve, 308
- parametric to implicit line, 54
- plane to point normal form, 194
- convex combination, 30, 48, 306
- convex hull, 165, 306
- convex hull property, 306
- coordinate independent, 26
- coordinate measuring machine, 19
- coordinate system, 11
  - $[\mathbf{e}_1, \mathbf{e}_2]$ , 11
  - $[\mathbf{e}_1, \mathbf{e}_2, \mathbf{e}_3]$ , 17
- coordinates
  - barycentric, 30, 160
  - global, 10
  - homogeneous, 252
  - local, 10
  - normalized, 14
  - of a map, 74
  - screen, 14, 16
- coplanar, 198
- Cramer's Rule, 106
- cross product, 161, 186
  - properties, 189
- cross section, 24
- curvature
  - of planar curve, 311
  - signed, 313
- curve, 301
  - Bézier, 302
  - composite, 311
  - derivative, 309
  - parametric, 302
  - second derivative, 310
  - tangent, 309
- cyclic numbering, 286
- Dürer, A., 255
- data fitting, 273
- de Casteljau algorithm, 303
- Delaunay triangulation, 166
- derivative, 309
  - second, 310
- determinant, 89, 106, 113, 142, 161, 198, 231, 269, 313
  - of 2x2 matrix, 91
  - of a  $3 \times 3$  matrix, 198, 232
  - of matrix product, 98
  - rules, 198
  - volume, 198, 232
- diagonal dominance, 272
- digitizing, 20
- distance
  - between lines, 203
  - between two points, 33
  - point and plane, 193, 202
  - point to a line, 56
- distortion, 13
- distributive law, 43, 76
- dot product, 36, 97, 186, 233
- dyadic matrix, 249
- eigenvalue, 141, 178, 180
- eigenvector, 141
- eigenvectors, 180
- ellipse, 174
- equation
  - trivial, 117
- Escher, M.C., 131
- Escher, M.C., 284
- Euclidean space, 24, 184
- explicit equation of a line, 53
- exponent of a matrix, 99
- extents, 14, 286
- exterior angle, 286
- extrapolation, 48
- Fallingwater, 45
- FEM, 160, 270

- finite precision machine, 120
- fitting lines, 273
- fixed direction, 141
- flight simulator, 215
- foot, 61
- Frenet frame, 315
- full rank, 78, 276
  
- Gauss elimination, 107, 210, 222, 232, 262
  - algorithm, 265
  - multiplier, 265
  - pivoting, 119
- Gauss matrix, 267
- Gauss-Jacobi iteration, 272
- Geometric Modeling, 21, 302
- graphics standards, 285
  - GKS, 285
- Grassmann, H., 75
  
- homogeneity, 43
- homogeneous coordinates, 252
- homogeneous linear system, 117
  - unsolvable, 117
- hurricane, 24, 27
- hyperbola, 174, 177
  
- identity matrix, 125
- image
  - of linear map, 74
- implicit equation of a conic, 174
- implicit equation of a line, 49
- incenter, 163
- incircle, 164
- inequality
  - Cauchy-Schwartz, 41
  - triangle, 42
- inflection point, 313, 315
- inner product, 37
- interior angle, 286
- intersecting planes, 240
- intersection
  - cone and plane, 174
  - line and plane, 205
  - of two lines, 62
  - three planes, 209
  - triangle and line, 207
  - two planes, 211
- inverse
  - $2 \times 2$ , 110
- inverse matrix, 274
  
- Lagrange's identity, 189
- LaTeX, 10
- Law of Cosines, 38
- least squares, 273
- lighting model, 196
- line
  - 2D, 45
  - 3D, 191
  - closest point, 61
  - convert implicit to parametric, 54
  - convert parametric to implicit, 54
  - distance point to, 56
  - explicit equation, 53
  - extrapolation, 48
  - implicit equation, 49, 191
  - normal, 50
  - parameter, 47
  - parametric equation, 47, 191
  - parametrization, 49, 56
  - point normal form, 50, 58
  - segment, 30
  - skew, 191, 203
  - slope, 53
- linear combination, 35, 72, 108, 124
- linear dependence, 35
- linear interpolation, 48
- linear map, 124, 216
  - 3D, 218, 239
  - volume, 231

- linear space, 26, 184
- linear system, 259
  - augmented matrix, 266
  - back substitution, 108, 262
  - CLAPACK, 260
  - coefficient matrix, 261
  - consistent, 262
  - Cramer's Rule, 106
  - define map, 120
  - elementary row operation, 263
  - Gauss elimination, 107, 262, 278
  - Gauss-Jacobi iteration, 272
  - general, 259
  - homogeneous, 117
  - infinitely many solutions, 262
  - iterative methods, 270
  - least squares solution, 273
  - LINPACK, 260
  - matrix form, 260
  - no solution, 262
  - nontrivial solution, 117
  - overdetermined, 192, 272
  - pivoting, 119, 120, 265
  - three by three, 262
  - trivial solution, 117
  - true solution, 120
  - two by two, 105
  - underdetermined, 117
  - unique solution, 262
  - unsolvable, 116
- linearly dependent, 116, 117
- linearly independent, 35
- LINPACK, 260
- local coordinate system, 315
- LU decomposition, 276, 278
- map
  - affine, 124, 162, 216
  - linear, 124, 216, 239
- matrix, 74, 105
  - associative law, 99
  - augmented matrix, 266
  - commutative law, 95, 99
  - diagonal, 74
  - diagonal dominance, 272
  - distributive law, 99
  - dyadic, 249
  - exponent, 99
  - factorization, 278
  - Gauss, 267
  - identity, 111
  - inverse, 110, 111, 114, 236, 274
  - LU decomposition, 276, 278
  - orthogonal, 113, 149, 180
  - properties, 217, 235
  - rank, 78, 276
  - rotation, 112
  - scaling, 110
  - singular, 276
  - symmetric, 78
  - transpose, 98
  - transpose , 235
  - unit, 111
  - upper triangular, 107, 262, 266
  - zero, 277
- matrix form
  - of Bézier curve, 307
- matrix multiplication
  - 2D, 97
  - 3D, 233
  - composite maps, 93
  - properties, 99
- median, 163
- midpoint, 26
- minmax box, 286, 296, 306
- monomials, 307
- netlib, 260
- normalized coordinates, 14

- numerical stability, 107, 119, 295
  - round-off, 120
- orthogonal matrix, 149
- orthogonal vectors, 148
- orthographic projection, 224
- orthonormal, 113
- osculating plane, 315
- parabola, 174, 177
- parallel planes, 240
- parallel projection, 224
- parallelepiped, 197, 221
- parallelogram rule, 27
- parameter, 47
- parametric curve, 302
- parametric equation of a line, 47
- parametrization, 49, 56, 302
- perspective projection, 253
- pivoting, 119
- pixel, 14, 53
- plane, 174, 192
  - Euclidean definition, 196
  - family, 195
  - implicit form, 192
  - normal, 192
  - parametric form, 195
  - point normal equation, 192
- planes
  - intersecting, 240
  - parallel, 240
- point, 24, 184
  - combination, 28
- point cloud, 20
- polygon, 285
  - area, 293
  - clipping, 287
  - concave, 287
  - convex, 287
  - equiangular, 288
  - equilateral, 288
  - even-odd rule, 297
  - exterior angle, 286
  - inside/outside test, 296
  - interior angle, 286
  - n-gon, 289
  - nonsimple, 290
  - planarity, 295
  - rectangle, 289
  - regular, 288
  - rhombus, 289
  - simple, 290
  - visibility test, 296
  - winding number, 298
- polygonal mesh, 286
- polyline, 284
  - winding number, 298
- PostScript, 10
- projection
  - 2D, 87, 117
  - 3D, 223, 245
  - area, 89
  - oblique, 246
  - orthogonal, 224
  - orthographic, 246
  - parallel, 87, 224, 246
  - perspective, 224, 253
  - volume, 225
- Pythagorean Theorem, 32, 36, 185
- radians, 40, 41, 288
- rank, 148
- rank of a matrix, 78, 276
- ratio, 30, 125, 240
- ray, 297
- ray tracing, 205
- reflection, 91
  - 2D, 80
  - 3D, 220
  - area, 82
  - line and plane, 208

- volume, 221
- residual vector, 282
- right-hand rule, 186
- rigid body motion, 126, 231, 242
- rigid body motions, 84, 113
- robot motion, 316
- rotation, 112
  - 2D, 82, 180
  - 3D, 226
  - area, 84
  - volume, 231
- round-off, 120
  
- scalar, 24, 185
- scalar product, 37
- scalar triple product, 197
- scaling, 110
  - 2D, 78, 180
  - 3D, 218
  - area, 79
  - volume, 220
- screen coordinates, 14
- shear, 91, 108, 262, 269
  - 2D, 84
  - 3D, 221, 232
  - area, 86
  - volume, 223
- singular matrix, 276
- singular value, 153
- skew box, 221
- skew lines, 203
- space
  - Euclidean, 24, 184
  - linear, 26, 184
  - real, 26, 184
  - vector, 26, 184
- sphere, 186
- subdivision
  - of Bézier curve, 304
- subspace, 186, 262
- surface, 285
  - trimmed, 290
  
- Tacoma Narrows bridge, 140
- tangent, 309
- target box, 11, 72
  - skew, 72
- tetrahedron, 241, 262
- tolerance
  - angle, 64
  - distance, 51
  - meaningful, 51, 295
  - zero divide, 32
- translation, 125
  - 3D, 241
- transpose matrix
  - 2D, 77
- triangle, 42, 286
  - 3D, 207
  - area, 161, 164
  - centroid, 163
  - circumcenter, 164
  - circumcircle, 164
  - circumference, 164
  - incenter, 163
  - inclusion test, 162, 169
  - median, 163
  - special points, 163
  - vertex, 160
- triangle inequality, 42
- triangulation, 165
  - 3D, 169
  - boundary, 167
  - data structure, 166
  - Delaunay, 166
  - neighbor information, 167, 168
  - point location algorithm, 168
  - sample file, 172
- trivial reject, 296
- trivial solution, 117
- turning angle, 286

- unit cube, 220
- unit matrix, 111
- unit square, 11
- unit vector, 32, 185
  
- vector, 25, 184
  - cross product, 186
  - dot product, 36, 186
  - inner product, 37
  - Lagrange's identity, 189
  - left-handed, 92
  - length, 25, 31, 185
  - magnitude, 31
  - normalized, 32, 185
  - parallelogram rule, 27
  - perpendicular, 37
  - product, 187
  - right-handed, 92
  - scalar product, 37
  - scaling, 27
  - unit, 32, 185
  - zero, 184
- vector field, 27
- velocity vector, 310
- vertex
  - of a triangle, 160
- volume, 197, 269
  - signed, 198
  
- winding number, 292
- Wright, Frank Loyd, 46
  
- zero divide tolerance, 32