

Contents

1	Descartes' Discovery	9
1.1	Local and Global Coordinates: 2D	10
1.2	Going from Global to Local	15
1.3	Local and Global Coordinates: 3D	17
1.4	Stepping Outside the Box	18
1.5	Creating Coordinates	19
1.6	Exercises	21
2	Here and There: Points and Vectors in 2D	23
2.1	Points and Vectors	24
2.2	What's the Difference?	26
2.3	Vector Fields	28
2.4	Length of a Vector	29
2.5	Combining Points	32
2.6	Independence	36
2.7	Dot Product	37
2.8	Orthogonal Projections	42
2.9	Inequalities	42
2.10	Exercises	44
3	Lining Up: 2D Lines	47
3.1	Defining a Line	48
3.2	Parametric Equation of a Line	49
3.3	Implicit Equation of a Line	51
3.4	Explicit Equation of a Line	55
3.5	Converting between Parametric and Implicit Equations	55

3.5.1	Parametric to Implicit	56
3.5.2	Implicit to Parametric	56
3.6	Distance of a Point to a Line	58
3.6.1	Starting with an Implicit Line	59
3.6.2	Starting with a Parametric Line	61
3.7	The Foot of a Point	63
3.8	A Meeting Place: Computing Intersections	64
3.8.1	Parametric and Implicit	65
3.8.2	Both Parametric	68
3.8.3	Both Implicit	69
3.9	Exercises	71
4	Changing Shapes: Linear Maps in 2D	73
4.1	Skew Target Boxes	74
4.2	The Matrix Form	75
4.3	More about Matrices	77
4.4	Scalings	80
4.5	Reflections	82
4.6	Rotations	85
4.7	Shears	87
4.8	Projections	89
4.9	The Kernel of a Projection	92
4.10	Areas and Linear Maps: Determinants	93
4.11	Composing Linear Maps	96
4.12	More on Matrix Multiplication	101
4.13	Working with Matrices	103
4.14	Exercises	104
5	2×2 Linear Systems	107
5.1	Skew Target Boxes Revisited	108
5.2	The Matrix Form	109
5.3	A Direct Approach: Cramer's Rule	110
5.4	Gauss Elimination	111
5.5	Undoing Maps: Inverse Matrices	114
5.6	Unsolvable Systems	121
5.7	Underdetermined Systems	122
5.8	Homogeneous Systems	122

5.9	Numerical Strategies: Pivoting	124
5.10	Defining a Map	126
5.11	Exercises	127
6	Moving Things Around: Affine Maps in 2D	129
6.1	Coordinate Transformations	130
6.2	Affine and Linear Maps	132
6.3	Translations	133
6.4	More General Affine Maps	135
6.5	Mapping Triangles to Triangles	137
6.6	Composing Affine Maps	139
6.7	Exercises	142
7	Eigen Things	147
7.1	Fixed Directions	149
7.2	Eigenvalues	149
7.3	Eigenvectors	152
7.4	Special Cases	154
7.5	The Geometry of Symmetric Matrices	157
7.5.1	Positive Definite Symmetric Matrices	160
7.6	Repeating Maps	162
7.7	The Condition of a Map	164
7.8	Exercises	166
8	Breaking It Up: Triangles	169
8.1	Barycentric Coordinates	170
8.2	Affine Invariance	173
8.3	Some Special Points	174
8.4	2D Triangulations	177
8.5	A Data Structure	178
8.6	Point Location	180
8.6.1	Point Location Algorithm	181
8.7	3D Triangulations	181
8.8	Exercises	184

9	Conics	187
9.1	The General Conic	188
9.2	Analyzing Conics	192
9.3	The Position of a Conic	194
9.4	Exercises	196
10	3D Geometry	199
10.1	From 2D to 3D	200
10.2	Cross Product	202
10.3	Lines	207
10.4	Planes	208
10.5	Application: Lighting and Shading	213
10.6	Scalar Triple Product	216
10.7	Linear Spaces	217
10.8	Exercises	219
11	Interactions in 3D	221
11.1	Distance between a Point and a Plane	222
11.2	Distance between Two Lines	224
11.3	Lines and Planes: Intersections	225
11.4	Intersecting a Triangle and a Line	228
11.5	Lines and Planes: Reflections	228
11.6	Intersecting Three Planes	230
11.7	Intersecting Two Planes	232
11.8	An Orthonormal Coordinate System: the Gram-Schmidt Method	232
11.9	Exercises	234
12	Linear Maps in 3D	237
12.1	Matrices and Linear Maps	238
12.2	Scalings	240
12.3	Reflections	242
12.4	Shears	243
12.5	Projections	246
12.6	Rotations	248
12.7	Volumes and Linear Maps: Determinants	252
12.8	Combining Linear Maps	256

12.9 More on Matrices	259
12.10 Inverse Matrices	261
12.11 Exercises	262
13 Affine Maps in 3D	265
13.1 Affine Maps	266
13.2 Translations	267
13.3 Mapping Tetrahedra	268
13.4 Projections	271
13.5 Homogeneous Coordinates and Perspective Maps	275
13.6 Exercises	281
14 General Linear Systems	285
14.1 The Problem	286
14.2 The Solution via Gauss Elimination	288
14.3 Determinants	296
14.4 Overdetermined Systems	299
14.5 Inverse Matrices	302
14.6 LU Decomposition	305
14.7 Exercises	310
15 General Linear Spaces	313
15.1 Basic Properties	314
15.2 Linear Maps	316
15.3 Inner Products	319
15.4 Gram-Schmidt Orthonormalization	320
15.5 Higher Dimensional Eigen Things	321
15.6 A Gallery of Spaces	323
15.7 Exercises	326
16 Numerical Methods	329
16.1 Another Linear System Solver: Householder's Method	330
16.2 Vector Norms and Sequences	336
16.3 Iterative System Solvers: Gauss-Jacobi and Gauss- Seidel	338
16.4 Finding Eigenvalues: the Power Method	342
16.5 Exercises	346

17 Putting Lines Together: Polylines and Polygons	349
17.1 Polylines	350
17.2 Polygons	352
17.3 Convexity	353
17.4 Types of Polygons	354
17.5 Unusual Polygons	355
17.6 Turning Angles and Winding Numbers	357
17.7 Area	359
17.8 Planarity Test	364
17.9 Inside or Outside?	365
17.9.1 Even–Odd Rule	365
17.9.2 Non-zero Winding Number	366
17.10 Exercises	368
18 Curves	371
18.1 Application: Parametric Curves	372
18.2 Properties of Bézier Curves	377
18.3 The Matrix Form	379
18.4 Derivatives	381
18.5 Composite Curves	384
18.6 The Geometry of Planar Curves	385
18.7 Moving along a Curve	386
18.8 Exercises	391
A PostScript Tutorial	393
A.1 A Warm-Up Example	394
A.2 Overview	397
A.3 Affine Maps	399
A.4 Variables	400
A.5 Loops	401
A.6 CTM	402
B Selected Problem Solutions	407
B.1 Descartes' Discovery	407
B.2 Here and There: Points and Vectors in 2D	408
B.3 Lining Up: 2D Lines	409
B.4 Changing Shapes: Linear Maps in 2D	410

B.5	2×2 Linear Systems	412
B.6	Moving Things Around: Affine Maps	412
B.7	Eigen Things	414
B.8	Breaking It Up: Triangles	415
B.9	Conics	417
B.10	3D Geometry	418
B.11	Interactions in 3D	421
B.12	Linear Maps in 3D	423
B.13	Affine Maps in 3D	426
B.14	General Linear Systems	428
B.15	General Linear Spaces	429
B.16	Numerical Methods	430
B.17	Putting Lines Together: Polylines and Polygons .	432
B.18	Curves	434

Bibliography

- [1] H. Anton and Chris Rorres. *Elementary Linear Algebra, Applications Version*. John Wiley & Sons, 1999. eighth edition.
- [2] W. Boehm and H. Prautzsch. *Geometric Concepts for Geometric Design*. AK Peters Ltd., 1992.
- [3] H. M. S. Coxeter. *Introduction to Geometry, 2nd Edition*. Wiley Text Books, 1989.
- [4] M. de Berg, M. van Kreveld, M. Overmars, and O. Schwarzkopf. *Computational Geometry Algorithms and Applications*. Berlin: Springer-Verlag, 1997.
- [5] M. Escher and J. Locher. *The Infinite World of M. C. Escher*. New York: Abradale Press / Harry N. Abrams, Inc., 1971.
- [6] G. Farin. *NURBS: From Projective Geometry to Practical Use*. A. K. Peters, Ltd., 1999. second edition.
- [7] G. Farin and D. Hansford. *The Essentials of CAGD*. A. K. Peters, Ltd., 2000.
- [8] R. Goldman. Triangles. In A. Glassner, editor, *Graphics Gems, Volume 1*, pages 20–23. Academic Press, 1990.
- [9] G. Golub and C. Van Loan. *Matrix Computations*. Baltimore, MD: The Johns Hopkins University Press, 1986.
- [10] M. Goossens, F. Mittelbach, and A. Samarin. *The L^AT_EX Companion*. Reading, MA: Addison-Wesley Publishing Company, Inc., 1994.
- [11] D. Hearn and M. Baker. *Computer Graphics with OpenGL, 3/E*. Prentice-Hall, 2003.
- [12] Adobe Systems Inc. *PostScript Language Reference Manual*. Addison-Wesley Publishing Company, Inc., 1985.

-
- [13] Adobe Systems Inc. *PostScript Language Tutorial and Cookbook*. Addison-Wesley Publishing Company, Inc., 1985.
 - [14] L. Johnson and R. Riess. *Numerical Analysis*. Addison-Wesley Publishing Company, Inc., 1982. second edition.
 - [15] E. Kästner. *Erich Kästner erzahlt Die Schuldbürger*. Cecilie Dressler Verlag, 1995.
 - [16] L. Lamport. *L^AT_EX User's Guide and Reference Manual*. Addison-Wesley Publishing Company, Inc., 1994.
 - [17] D. Lay. *Linear Algebra and its Applications, 3/E*. Addison-Wesley Publishing Company, Inc., 2003.
 - [18] S. Leon. *Linear Algebra with Applications, 6/E*. Prentice Hall, 2003.
 - [19] P. Shirley. *Fundamentals of Computer Graphics*. A. K. Peters, Ltd., 2002.
 - [20] D. Shreiner, M. Woo, J. Neider, and T. Davis. *OpenGL Programming Guide*. Addison-Wesley Publishing Company, Inc., 2004. fourth edition.
 - [21] G. Thomas and R. Finney. *Calculus and Analytic Geometry*. Addison-Wesley Publishing Company, Inc., 1980.

Index

- L^2 norm, 337
- L^AT_EX, 10, 402
- acceleration, 384
- accuracy, 172
- affine invariance, 173
 - barycentric coordinates, 173
- affine invariant, 112
 - Bézier curve, 377
- affine map, 130, 173, 194, 238, 377
 - 2D, 132
 - 3D, 266
 - Bézier curve, 377
 - compose, 139
 - construction, 135
 - in terms of homogeneous coordinates, 276
 - projection, 132, 271
 - properties, 133, 266
 - property, 133
 - ratio, 133
 - reflection, 132
 - rotation, 132
 - scale, 132
 - shear, 132
 - tetrahedra, 268
 - translation, 131, 134, 267
 - triangle, 137
- angle
 - cosine of, 39
 - re-entrant, 354
 - sine of, 204
- angle bisector, 175, 229
- anti-symmetry property
 - cross product, 205
- approximation
 - fitting lines, 301
 - least squares, 300
 - overdetermined linear system, 300
- area, 93, 171, 175, 252
 - parallelogram, 110, 203, 253
 - signed, 171
- aspect ratio, 14
- associative law, 103, 205, 260
- Bézier curve, 372, 373
 - affine invariant, 377
 - composite, 384
 - convert to monomial, 380
 - convex hull property, 377
 - curvature, 385
 - de Casteljau algorithm, 374
 - derivative, 381
 - evaluation, 374
 - extrapolation, 378
 - inflection point, 386
 - robot motion, 389
 - second derivative, 383
 - subdivision, 377
- Bézier points, 373
- Bézier polygon, 373
- back substitution, 112, 115, 292
- barycenter, 354

- barycentric combination, 33, 50, 133, 170, 266, 268, 377
- barycentric coordinates, 33, 35, 50, 170, 212, 228, 269
 - shading model, 215
- basis, 315
 - orthonormal, 320
- basis function
 - Bernstein, 376
 - monomials, 376
- basis vectors, 36
- Bernstein polynomial, 376
- bisector
 - angle, 175, 229
 - edge, 175
 - two points, 213
 - vector, 229
- box
 - skew, 243
 - source, 398
 - target, 398
- Bresenham's line drawing algorithm, 55

- Cauchy-Schwartz inequality, 43
- center of gravity, 33
- centroid, 174, 282
 - of a tetrahedron, 266
- characteristic equation, 150, 194
- characteristic polynomial, 150, 321
- circle, 188
 - approximation, 355
 - incircle, 175
- circumcenter, 175
- circumcircle, 175
- CLAPACK, 286
- CMM, 20
- cofactor, 254, 297
- coherence, 181
- collinear, 384
- collinear points, 132

- commutative law, 103, 259
- composite curves, 384
- Computer Aided Geometric Design, 21, 372
- computer graphics, 246
 - 4×4 matrix, 276
 - affine map, 275
 - back-facing triangle, 215
 - Bresenham's algorithm, 55
 - clipping algorithm, 356
 - culling, 215
 - flat shading, 214
 - flight simulator, 238
 - GKS, 351
 - Gouraud shading, 214
 - icons, 15
 - lighting model, 213
 - OpenGL, 276
 - Phong illumination model, 213
 - polygon clipping, 353
 - polygon fill, 55
 - ray tracing, 222, 225
 - rotation, 261
 - shading, 182
 - smooth shading, 214
 - specular reflection, 230
 - viewing volume, 280
 - window, 15
- condition number, 164, 165
 - Gauss elimination, 330
 - Householder method, 330
- cone, 188
- conic, 187
 - affine map, 194
 - center, 189
 - degenerate, 192
 - general position, 188
 - implicit equation, 188
 - major axis, 189
 - matrix notation, 189
 - minor axis, 189

- position, 194
 - standard position, 189
 - symmetric matrix, 190
 - type, 192
- conic section, 157, 187
- continuity conditions, 384
- convergence
 - iterative method, 342
 - power method, 343
- convert
 - Bézier curve to monomial curve, 380
 - degrees to radians, 41
 - implicit to parametric line, 56
 - monomial curve to Bézier curve, 380
 - parametric to implicit line, 56
 - plane to point normal form, 211
- convex combination, 33, 50, 377
- convex hull, 177, 378
 - property, 377
- coordinate frame, 203
- coordinate independent, 26
- coordinate measuring machine, 20
- coordinate system, 11, 207
 - $[\mathbf{a}_1, \mathbf{a}_2, \mathbf{a}_3]$, 238, 266
 - $[\mathbf{e}_1, \mathbf{e}_2]$, 11
 - $[\mathbf{e}_1, \mathbf{e}_2, \mathbf{e}_3]$, 17, 266
 - global, 10
 - local, 10
- coordinate transformation, 130, 131
 - triangle to triangle, 137
- coordinates
 - barycentric, 33, 170
 - global, 10
 - homogeneous, 276
 - local, 10
- map, 76
 - normalized, 15
 - screen, 15, 16
- coplanar, 216
- Cramer's rule
 - 2×2 , 110
 - 3×3 , 299
 - $n \times n$, 298
- cross product, 202, 213
 - barycentric coordinate, 171
 - properties, 205
- cross section, 24
- culling, 215
- curvature
 - of planar curve, 385
 - signed, 386
- curve, 371
 - Bézier, 373
 - composite, 384
 - continuity, 384
 - derivative, 381
 - evaluation, 373
 - inflection point, 386
 - monomial, 379
 - parametric, 372
 - second derivative, 383, 384
 - tangent, 382, 383
- cyclic numbering, 352
- cyclic permutations, 216
- Dürer, A., 280
- data fitting, 301
- de Casteljau algorithm, 374
 - derivative, 382
- Delaunay triangulation, 178
- derivative, 324, 381
 - second, 384
- Descartes, R., 10
- determinant, 93, 110, 139, 150, 203, 252, 296, 319, 386
 - 2×2 matrix, 94
 - 3×3 matrix, 216, 253

- barycentric coordinate, 171
- cofactor, 254, 297
- cyclic permutations, 216
- geometric derivation, 94
- matrix product, 102
- minor, 254, 297
- orthogonal matrix, 118
- polygon area, 360
- scalar triple product, 216, 253
- symmetric matrix, 161
- upper triangular matrix, 296
- volume, 216, 253
- diagonalizable, 159
- diagonally dominant, 341
- digitizing, 21
 - local coordinate system, 233
- dimension, 218, 314
- distance
 - between lines, 224
 - between two points, 31
 - perpendicular, 210
 - point and plane, 210, 222
 - point to a line, 58
 - signed, 211
- distortion, 13
- distributive law, 78, 79
 - cross product, 205
 - dot product, 45
 - matrices, 103, 259
- dominant eigenvalue, 342
- dot product, 37, 101, 202, 257
- dyadic matrix, 229, 274, 331
- eigen things
 - 2×2 , 147
 - $n \times n$, 321
- eigenvalue, 149, 193
 - characteristic polynomial, 321
 - conic, 192
 - dominant, 342
 - inverse matrix, 322
 - power method, 342
 - real value, 156
 - repeated linear map, 162
 - symmetric matrix, 156
 - transpose matrix, 322
 - zero, 157
- eigenvalue analysis, 148
- eigenvector, 149, 152
 - right-handed, 160
 - rotation matrix, 154
 - shear matrix, 155
- elementary row operation, 291
- ellipse, 188, 190
- endpoint derivative, 382
- equiangular polygon, 354
- equilateral polygon, 354
- Escher, M.C., 140, 350
- Euclidean norm, 337
- Euclidean space, 24, 200
- expansion
 - by cofactors, 297
 - by minors, 297
- explicit equation of a line, 55
- exponent of a matrix, 102
- extents, 15, 352
- exterior angle, 352, 357
- extrapolation, 50, 378
- Fallingwater, 48
- FEM, 170, 338
- finite precision machine, 125
- fitting lines, 301
- fixed direction, 149, 152
 - rotation, 154
- flat shading, 214
- flight simulator, 237
- floating point accuracy, 172
- font design, 372
- foot of a point, 63, 136, 222
- forward substitution, 307, 429
- frame of reference, 207

- Frenet frame, 389
- full rank, 80, 195, 304, 317
- functional, 325

- Gauss elimination, 111, 231, 245, 288, 309, 317, 319
 - $n \times n$ system, 292
 - algorithm, 292
 - determinant, 253
 - elementary row operation, 291
 - failure of, 112
 - multiplier, 292, 293
 - numerical problems, 330
 - pivoting, 124, 289
 - row echelon form, 296
- Gauss matrix, 293
- Gauss-Jacobi iteration, 340
- Gauss-Seidel iteration, 342
- Geometric Modeling, 21
- geometric modeling, 372
- Gouraud shading, 214
- Gram-Schmidt, 220, 389
 - 3D, 232
 - general linear spaces, 320
- graphics standards, 351
 - GKS, 351
 - OpenGL, 276
- Grassmann, H., 77

- homogeneous, 45
- homogeneous coordinates, 276
- homogeneous linear system, 122, 152
 - unsolvable, 123
- homogeneous property, 205
- horizontal tangent, 383
- Householder matrix, 230, 330
- hurricane, 24, 28
- hyperbola, 188, 191

- idempotent, 91, 100, 157

- identity matrix, 134
- ill-conditioned system, 335
- illumination, 213
- image of linear map, 76, 316
- implicit equation
 - conic, 188
- implicit equation of a line, 51
- incenter, 175
- incircle, 175
- inclusion test, 172
- inequality
 - Cauchy-Schwartz, 43
 - triangle, 43, 338
- inflection point, 386, 387
- inner product, 38, 319, 326
- interior angle, 352, 354
- interpolation
 - curve, 377
- intersection
 - cone and plane, 188
 - line and plane, 225, 226, 272
 - planes, 266
 - three planes, 230
 - triangle and line, 228
 - two lines, 64, 108, 208
 - two planes, 232
- inverse
 - 2×2 , 114
 - 3×3 , 261
 - $n \times n$, 302
- inverse matrix, 116, 302, 319
 - eigenvalues, 322
 - identity, 116
 - rotation, 118
 - scale, 117
- involutary matrix, 333
- iterative method
 - convergence, 341
 - convergence rate, 342
 - eigenvalue, 342
 - Gauss-Jacobi, 342

- Gauss-Seidel, 342
- power method, 342
- residual vector, 342
- kernel, 157
 - 2D map, 92
 - of a matrix, 92
- Lagrange's identity, 205
- Law of Cosines, 39
- least squares
 - approximation, 157
 - Householder method, 335
 - line fitting, 301
 - normal equations, 300
- lighting model, 213
- limit, 336
- line
 - 2D, 47
 - 3D, 207
 - closest point, 63
 - convert implicit to parametric, 56
 - convert parametric to implicit, 56
 - distance point to, 58
 - distance to a line, 224
 - explicit equation, 55
 - extrapolation, 50
 - implicit equation, 51, 207
 - intersection with a triangle, 228
 - intersection with plane, 272
 - normal, 52
 - parallel, 208
 - parameter, 50
 - parametric equation, 49, 207
 - parametric form, 372
 - parametrization, 51, 58
 - perpendicular, 208
 - point normal form, 52, 60
 - segment, 33
 - skew, 208, 224
 - slope, 55
 - linear combination, 36, 74, 78, 112, 132, 217, 314
 - linear independence, 314
 - rank of a matrix, 80
 - linear interpolation, 50, 372
 - linear map, 238, 316
 - 2D, 73, 107, 132
 - 3D, 240, 266
 - addition, 79
 - area, 82, 84, 86, 89, 93
 - commutative law, 98
 - composite, 96
 - condition number, 164
 - coordinates, 76
 - determinant, 93
 - diagonalizable, 159
 - distributive law, 79
 - eigenvalue, 149
 - eigenvalue analysis, 149
 - fixed direction, 149, 152
 - idempotent, 91
 - ill-conditioned, 165
 - image, 76, 316
 - inverse, 116, 165
 - kernel, 92
 - linearly independent columns, 80
 - matrix form, 75
 - noncommutative, 99
 - preimage, 316
 - preserve linear combinations, 78
 - preserve scalings, 78
 - preserve summations, 78
 - projection, 89
 - rank
 - eigenvalue, 157
 - ratios, 132
 - reduce dimension, 90
 - reflection, 82

- repeated, 162
- rigid body motion, 86, 118
- rotation, 85
- scaling, 80
- shear, 87
- symmetric, 80
- transpose, 79
- triangle, 137
- volume, 252
- well-conditioned, 165
- linear space, 26, 200, 217
 - examples, 323
- linear system, 218, 285
 - 2×2 , 107, 109
 - 3×3 , 288
 - augmented matrix, 293
 - back substitution, 112, 115, 288, 292
 - CLAPACK, 286
 - coefficient matrix, 287
 - condition number, 164
 - consistent, 110, 122, 288
 - coordinate transformation, 138
 - Cramer's Rule, 110
 - determinant, 110
 - elementary row operation, 289
 - forward substitution, 307, 429
 - Gauss elimination, 111, 288, 305
 - Gauss-Jacobi iteration, 340
 - general, 285
 - geometry of a 2×2 , 110
 - homogeneous, 122, 152
 - Householder transformation, 330
 - ill-conditioned, 335
 - inconsistent, 110, 122
 - infinite number of solutions, 122, 288
 - iterative method, 338
 - large, 338
 - least squares solution, 300
 - LINPACK, 286
 - matrix form, 286
 - no solution, 288
 - nontrivial solution, 122
 - numerical stability, 111, 165
 - overdetermined, 208, 299
 - pivoting, 124, 125, 289, 292
 - solution, 110
 - solution space, 110
 - sparse, 338
 - trivial solution, 122
 - true solution, 125
 - underdetermined, 122
 - unique solution, 288
 - unsolvable, 121
 - upper triangular, 288
- linearly dependent, 36, 121, 123, 139, 218
- linearly independent, 36, 80, 112, 218, 233, 304, 314
- LINPACK, 286
- local coordinate system, 127, 387
 - 2D, 11
 - 3D, 17
 - barycentric coordinates, 170
 - Frenet frame, 387
 - Gram-Schmidt method, 233
- lower triangular, 306
- LU decomposition, 305
 - inverse matrix, 303
- Manhattan norm, 337
- map
 - affine, 130, 132, 173, 238
 - general linear spaces, 316
 - linear, 132, 238, 266
 - perspective, 246, 277
- matrix, 75, 109

- 2D linear map, 75
- 3D linear maps, 238
- addition, 79
- area, 82, 84, 86, 89, 93
- associative law, 103
- augmented matrix, 293
- commutative law, 98, 103
- decomposition, 192
- determinant, 93, 102, 121
- diagonal, 76
- diagonalizable, 159
- diagonally dominant, 342
- distributive law, 79, 103
- dyadic, 229, 274, 331
- exponent, 102
- factorization, 306
- full rank, 80, 304, 317
- Gauss, 293
- general linear space, 317
- Householder, 230
- identity, 115
- inverse, 114, 116, 119, 138, 261, 302, 319
- invertible, 121
- involutary, 333
- kernel, 92, 123, 157
- linear combination, 78
- linear operation, 78
- linearly independent columns, 80
- LU decomposition, 303, 305
- multiplication, 98, 101
- nonsingular, 121, 381
- not invertible, 121
- notation, 76
- orthogonal, 118, 159, 250, 261, 333
- positive definite, 160, 165
- preserve scalings, 78
- preserve summations, 78
- projection, 89, 150, 246, 271
- properties, 78, 239, 259
- rank, 80, 90, 274, 296, 304, 316
 - eigenvalue, 157
 - rank deficient, 296
 - reflection, 82, 242
 - rigid body motion, 86, 118, 134, 252, 268
 - rotation, 85, 118, 248
 - scaling, 80, 115, 240
 - shear, 87, 243
 - singular, 121, 304
 - sparse, 339
 - square, 317
 - symmetric, 80, 165, 333
 - symmetric part, 161
 - transpose, 79, 101, 240
 - unit, 115
 - unitary, 333
 - upper triangular, 112, 288, 292
 - zero, 304
- matrix form
 - of Bézier curve, 379
 - of monomial curve, 379
- matrix inverse
 - identity, 116
 - rotation, 118
 - scale, 117
- matrix multiplication
 - 2D, 101
 - 3D, 257
 - composite maps, 96
 - manual computation, 98
 - non-commutativity, 257
 - properties, 102, 103
- median of a triangle, 174
- midpoint, 26
- minmax box, 352, 365, 378
- minor, 254, 297
- Moebius, F., 170
- monomial

- convert to Bézier, 380
- geometric interpretation, 380
- polynomials, 379
- multiplier, 293
- NDC coordinates, 145
- netlib, 286
- non-associative property
 - cross product, 205
- norm
 - L^p , 337
 - Euclidean, 337
 - Manhattan, 337
 - vector, 336
- normal, 182
 - for computer graphics, 213
 - vertex, 215
- normalized coordinates, 15
- normalized device coordinates, 22
- numerical stability, 111, 124, 364
 - round-off, 125
- oblique projection, 272
- orientation, 214
- orthogonal
 - coordinate frame, 21
 - eigenvectors, 158
 - matrix, 159, 250, 333
 - projection, 42
 - Gram-Schmidt, 233
 - vectors, 158, 320
- orthographic projection, 272
- orthonormal, 118, 203, 250, 261
 - Gram-Schmidt, 232, 320
- orthonormal basis, 320
- osculating plane, 388
- overdetermined linear system, 299, 335
- parabola, 188, 192
- parallel
 - lines, 133
 - planes, 266
 - projection, 246
 - vectors, 205
- parallelepiped, 216, 243, 253, 319
- parallelogram rule, 27
 - second derivative, 384
- parameter, 12, 35, 50
- parametric curve, 372
- parametric equation of a line, 49
- parametrization, 51, 58, 372
- perpendicular distance, 210
- perspective map
 - properties, 278
- perspective projection, 277
- Phong illumination model, 213
- piecewise Bézier curves, 384
- pivoting, 124, 255, 289, 330
- pixel, 15, 55
- plane, 188
 - bisector of two points, 213
 - definition, 202, 208
 - distance to a point, 210, 222
 - distance to origin, 209
 - Euclidean definition, 213
 - family, 212
 - implicit form, 209
 - intersecting, 266
 - intersection
 - of three planes, 230
 - of two planes, 232
 - with line, 272
 - normal, 209
 - parallel to another, 266
 - parametric form, 212
 - point normal equation, 209
- point, 24, 200
 - 2D, 24

- affine map, 131
- barycentric combination, 133
- closest on a line, 136
- combination, 32
- distance to a plane, 210, 222
- point cloud, 21
- point location algorithm, 180
- polygon
 - area, 359
 - circle approximation, 355
 - clipping, 353
 - concave, 353
 - convex, 353
 - cyclic numbering, 352
 - definition, 352
 - equiangular, 354
 - equilateral, 354
 - even-odd rule, 365
 - exterior angle, 352, 357
 - inside/outside test, 365
 - interior angle, 352
 - into an Escher-style figure, 350
 - n-gon, 355
 - nonsimple, 355
 - planarity, 364
 - rectangle, 355
 - regular, 355
 - rhombus, 355
 - simple, 355
 - sum of interior angles, 354
 - total turning angle, 359
 - turning angle, 352, 357
 - visibility test, 365
 - winding number, 359, 366
 - with a hole, 356
- polygon fill algorithm, 55
- polygonal mesh, 352
- polyline
 - definition, 350
 - graphics standards, 351
 - winding number, 366
- polynomial, 324
 - Bézier curve, 376
 - Bernstein, 376
 - monomial, 376
- positive definite, 160
- PostScript, 10, 393
 - matrix, 146
 - polygon fill, 365
 - tutorial, 393
- power method, 342
- preimage, 316
- projection, 320
 - 2D, 89, 123, 157
 - 3D, 246, 271
 - area, 91
 - oblique, 272
 - orthogonal, 42, 272
 - parallel, 89, 246
 - perspective, 246, 277
 - volume, 248
- projective maps, 279
- Pythagorean theorem, 30, 37, 201
- quadratic equation, 150
- quadratic polynomial, 326
 - zeroes, 154
- radians, 40, 41, 354
- range, 316
- rank, 80, 90, 157, 296, 304, 316
- rank deficient, 296
- ratio, 12, 33, 132, 133, 266
 - area, 171, 173
 - aspect, 14
 - condition number, 165
 - perspective map, 278
- ray
 - polygon intersection, 366
 - tracing, 225
- ray tracing, 222

- real space, 26
- reflection, 95, 136
 - 2D, 82
 - 3D, 242
 - area, 84
 - Householder matrix, 230, 330
 - line and plane, 228
 - volume, 243
- residual vector, 342
- rhombus, 355
- right-hand rule, 96, 160, 202, 214, 249
 - cross product, 205
- rigid body motion, 86, 118, 134, 252, 268
- robot motion, 389
- rotation, 118
 - 2D, 85
 - 3D, 248
 - area, 86
 - conic, 196
 - eigenvector, 154
 - right-hand rule, 249
 - volume, 252
- round-off, 41, 125
- row echelon form, 296
- rubberband test, 353

- satellite data, 177
- scalar, 24, 201
- scalar product, 38
- scalar triple product, 216, 253, 358, 362
- scaling, 115
 - 2D, 80
 - 3D, 240
 - area, 82
 - volume, 241
- screen coordinates, 15
- second derivative, 383
- sequence, 336

- shading, 182, 213
- shear, 95, 113, 296
 - 2D, 87
 - 3D, 243
 - area, 89
 - determinant, 253
 - eigenvector, 155
 - Gauss elimination, 288, 330
 - volume, 246
- significant digits, 333
- singular matrix, 304
- singular value, 165
- Singular Value Decomposition, 165
- skew box, 243
- skew lines, 224
- space
 - Euclidean, 24, 200
 - linear, 26, 200
 - real, 26, 200
 - vector, 26, 200
- span, 218, 315
- sparse, 339
- sphere, 202
- square matrix, 317
- star, 177, 215
- subdivision
 - of Bézier curve, 377
- subspace, 202, 217, 288
- surface, 351
 - trimmed, 356
- symmetric matrix, 149, 333
 - application, 158
 - conic, 190
 - diagonalizable, 159
 - geometry, 157
 - orthogonal eigenvectors, 158
 - real eigenvalue, 156, 322
 - reflection vector, 229
- symmetry property, 205

- Tacoma Narrows bridge, 148

- tangent, 382, 383
- target box, 11, 74
 - skew, 74, 108, 130
- tetrahedron, 266, 268, 288
- TIN, 177
- tolerance
 - angle, 66
 - barycentric coordinate, 172
 - distance, 53
 - floating point accuracy, 172
 - meaningful, 53, 364
 - zero divide, 30
- total turning angle, 359
- translation, 131, 133
 - 3D, 267
 - conic, 195
 - rigid body motion, 134
- transpose, 101
 - vector, 79
- transpose matrix
 - 2D, 79
 - eigenvalues, 322
- triangle, 43, 137, 352
 - area, 171, 175
 - barycentric coordinates, 228
 - centroid, 174
 - circumcenter, 175
 - circumcircle, 175
 - circumference, 175
 - incenter, 175
 - inclusion test, 172, 181
 - intersection with a line, 228
 - median, 174
 - special points, 174
 - vertex, 170
- triangle inequality, 43, 338
- triangulation
 - 2D, 177
 - 3D, 181
 - boundary, 179
 - coherence, 181
 - data structure, 178
 - Delaunay, 178
 - neighbor information, 179, 181
 - point location algorithm, 180
 - polygon area, 359
 - sample file, 185
 - star, 177, 215
 - uniqueness, 178
 - valence, 177
- trimmed surface
 - visibility test, 365
 - visible region, 357
- trivial
 - solution, 122
- trivial reject, 365
- turning angle, 352, 357
- unit cube, 241
- unit matrix, 115
- unit square, 11
- unit vector, 30, 201
- unitary matrix, 333
- valence, 177
- vector, 25
 - 2D, 25
 - 3D, 200
 - cross product, 202, 213
 - dot product, 37, 202
 - inner product, 38
 - Lagrange's identity, 205
 - left-handed, 96
 - length, 25, 29, 201, 320
 - linearly dependent, 139
 - magnitude, 29
 - normalized, 30, 201
 - orthogonal, 158
 - orthonormal, 118, 203
 - parallelogram rule, 27
 - perpendicular, 37
 - product, 203

- right-handed, 96
- scalar product, 38
- scaling, 27
- transpose, 79
- unit, 30, 201
- zero, 200
- vector field, 28
- vector norm, 336
 - L^2 , 337
- vector sequence, 336
 - Gauss Jacobi iteration, 339
 - Gauss Seidel iteration, 342
 - power method, 343
- vector space, 26, 217
- velocity vector, 383
- vertex
 - of a triangle, 170
- vertex normal, 215
- viewing volume, 280
- viewport, 22, 145
- volume, 216, 296
 - scalar triple product, 253
 - signed, 216

- winding number, 359
- winged-edge data structure, 180
- Wright, Frank Lloyd, 48

- zero divide tolerance, 30
- zero vector, 26, 90, 122, 200,
314, 352